SUBJECT INDEX

A

Abies picea, latent diploid parthenogenesis 677
Actaea rubra, floral development and homeosis 658
Actinidia, mucilage-crystal idioblast development 342
Agrobacterium-mediated transformation 467
Allium rothii, life cycle, propagation 597
Amaryllis, pollen fine structure 538
Andromonoecy, Anthriscus sylvestris pollen production 750
Anthriscus sylvestris, pollen production 750
Apomixis: Hieracium aurantiacum 467; Pennisetum, ultrastructure 492; Picea abies 621, 677
Arabidopsis, G proteins 1, 3
Arabis serrata, ecological amplitude, differentiation 220
Araucaria bidwillii, germination anatomy 519
Araucaria nipponensis sp. nov. 806
Araucarian cones, Upper Cretaceous 806
Artemisia annua, localization of artemisinin 365
Astragalus cicer, meiotic analysis 475

B

Banksia, interspecific hybridization 755
Beet necrotic yellow vein virus 545
Begonia argenteo-guttata, biophysical development 291
Beta vulgaris, storage organ growth 36
Biophysics, leaf development 291
Biotechnology: artemisinin localization 365; gibberellin-enhanced flowering in Tsuga 302; glandular trichomes 617; latent diploid parthenogenesis in Norway spruce 677; Nepeta racemosa gland development 623
Blue oak: See Quercus douglasii

C

Calamopityaceae, development 119
Cellulase, peach fruit development 49
Ceratocapnos heterocarpa, seed polymorphism 196
Clarkia unguiculata, hybrid genetics 471
Cretaceous araucarian cones 806
Cretaceous calycanthaceous flower 772
Cretaceous zingiberalean fruits 786
Cytochemistry, localization of artemisinin 365

D

Dendrobium section Rhizobium, anatomy of thick leaves 716
Development: Actaea rubra floral development 658; Araucaria bidwillii cryptogeal germination 519; diploid parthenogenesis in Picea abies 677; epidermal cell biophysics 291; Freesia refracta somatic embryos 672; Funariaceae peristome-forming layers 640; gibberellin-enhanced flowering 302; Glycine max embryology 421; Hordeum vulgare vascular system 143; Kalanchoe gravitropism 395; Magnolia pollen germination 158; mRNA populations in pea shoots 498; mucilage crystal idioblasts 342; Nepeta racemosa gland development 623; ontogenetic model 119; orchid pollen and pollinia 481; Pennisetum embryology 492; Phaseolus vulgaris root nodules 633; Phragmites vascular system 23, 445; Phyllospadix reproductive structures 405; Smyrnium perfoliatum pollen tube pathway 437; Sorgum bicolor epicuticular wax secretion 506; tracheary element differentiation 248, 251, 262, 272; Trichophaea spore ontogeny 453

Dicentra cucullaria, shoot architecture and evolution 553
Dormancy, Delphinium tricorne 738

E

Echinacea tennesseensis, competitive ability 57
Ecology: Allium rothii life cycle 597; blue-oak water relations 744; Delphinium tricorne seed germination 738; Echinaceae tennesseensis competition 57; ecological amplitude 220; germination stress 187; heterocarpy 196; Hordeum jubatum seed bank 66; maternal environment effects 180; Mimulus mating system 588; phenotypic plasticity 203; seasonal water relations 73; vertebrate fruit dispersal 382
Ecophysiology: Quercus macrocarpa stomatal responses 583
Embryogenesis, somatic, Freesia refracta 672
Eocene fungi 828
Eocene net-veined monocotyledon 816
Eorhiza arnoldii, vegetative growth 606
Epicuticular wax secretion, Sorghum bicolor 506
Eucommia constans n. sp., Upper Cenozoic fruits 80
Eucommia ulmoides, fruit anatomy 80
Euphorbiaceae, biovulate, pollen ultrastructure 313
Evolution: Delphinium tricorne 738; Dicentra cuccularia shoot architecture 553; latent diploid parthenogenesis in Norway spruce 621, 677; Mimulus mating system 588; Orchidaceae 716

F

Freesia refracta, origin of somatic embryos 672
Funariaceae, peristome forming layers 640
Fungi, Eocene fossil 828
Fungus: Eocene 828; Genea 235; Glomus intraradices 689; mycorrhizal 633; Polymyxa betae 545; Trichophaea brunnea 453; Ustilago hordei 15

G

Genea, systematics, ultrastructure 235
Genetics: Agrobacterium-mediated transformation 467; Astragalus cicer meiotic analysis 475; Clarkia unguiculata hybrids 471; interspecific hybridization 755, 763; Mimulus mating system 558; Rhizophora, outcrossing 373
Genselia gen. nov. 97
Gibberellin, mRNA populations 498
Glomus intraradices, spore ultrastructure 689
Glycine max: embryology 421; physiology, diurnal changes 173; photosynthesis, effect of dewfall 460
Gravitropism, Kalanchoë stems 395
GUS staining, Arabidopsis G proteins 3

H

Hieracium aurantiacum, Agrobacterium-mediated transformation 467
Homeosis, Actaea rubra floral development 658
Hordeum jubatum, seed bank dynamics 66
Hordeum vulgare, vascular system 143
Host-pathogen interaction: beet necrotic yellow vein virus 545
Hybridization, interspecific: Banksia 755; Lathryrus 763

I

Ileostylus micranthus, endophyte ultrastructure 350

J

Juglandaceae fruits, Eocene 388

K

Kalanchoë, stem gravitropism 395

L

Lathryrus, interspecific hybridization 763

M

Magnolia ×soulangeana, pollen germination 158
Mimulus, mating system evolution 588
Modeling: ontogeny, Calamopityacae 199; stomatal patterning 245
Molecular biology: Arabidopsis G proteins 1, 3; Hieracium aurantiacum transformation 467; mRNA population in developing pea shoots 498; Ustilago hordei diploids 15
Monocotyledon, Eocene net-veined 816
Morphophysiological dormancy 738
Mycorrhizal fungi: root nodule development 633; Glomus intraradices spore structure 689

N

Nepeta racemosa, gland development 623
Nitrogen uptake, Glycine max 730
Norway spruce: see Picea abies

O

Opuntia, low temperature stress physiology 167
Orchid pollen/pollinia development 481
Orchidaceae, anatomy of thick leaves in section Rhizobium 716

P

Paleobotany: Cenozoic Eucommia fruits 80; clarification of Triphyllopteris 97; Cretaceous araucarian cones 806; Cretaceous calycanthaceous flower 772; Cretaceous zingiberalean fruits 786; Eocene fossil fungi 828; Eocene Juglandaceae fruits 388; Eocene net-veined monocotyledon 816; Eorhiza arnoldii vegetative growth 606
Partitioning, Glycine max reproductive sink 730
Peach: See Prunus persica
Pennisetum, apomixis ultrastructure 492
Peristome-forming layers, Funariaceae 640
Petermanniopsis anglescaënsis gen. et sp. nov. 816
Phaseolus vulgaris, root nodule development 633
Phragmites: vascular system of florets 23; procambial initiation in pistils 445
Phyllospadix, reproductive structures 405
Phylogenetic analysis: biovulate Euphorbiaceae 313; Dicentra 553; Dendrobium 716; Eocene net-veined monocotyledon 816
Phylogenetic analysis: Dendrobium section Rhizobium 716
Physiology: Beta vulgaris storage organ growth 36; diurnal changes in nitrogen uptake 173; effect of dewfall on photosynthesis 460; Opuntia low temperature 167; peach fruit development 49; reproductive sink size of soybean 730
Picea abies, latent diploid parthenogenesis 677
Pisum sativum, mRNA populations in developing shoots 498
Podocarpaceae, functional morphology of saccate pollen 699
Pollen development: Amaryllis 538; Magnolia ×soulangeana 158; Orchid 481
Pollen, functional morphology 699
Pollen presenter, Banksia 755
Pollen production, Anthriscus sylvestris 750
Pollination, functional morphology of saccate pollen 699
Polymyxa betae, as virus vector 545
Prunus persica, fruit development 49

Q

Quercus douglasii, seedling water relations 744
Quercus macrocarpa, stomatal responses to variable sunlight 583

R

Redifferentiation, mesophyll cells 262
Reproduction: diploid parthenogenesis in Norway spruce 677; Glycine max embryology 421; interspecific hybridization 755, 763; mangrove outcrossing 373; Mimulus mating system 588; Pennisetum apomixis 492; Phyllospadix reproductive structures 405; Smyrnium perfoliatum pollen tube pathway 437
Reproductive sink size, Glycine max 730
Rhizobium, root nodule development 633
Rhizophora mangle, outcrossing, mutation rates 373

S

Saccate pollen, functional morphology 699
Sagittaria latifolia, germination, stress 187
Seed germination: Ceratocapnos heterocarpa 196, Delphinium tricorne 738; Sagittaria latifolia 187; Thlaspi arvense 180
Sexual reproduction: Anthriscus sylvestris pollen production 750
Smyrnium perfoliatum, pollen tube pathway 437
Sorghum bicolor, epicuticular wax secretion 506
Soybean: See Glycine max
Stellaria longipes, phenotypic plasticity 203
Stomatal patterning 245
Striatornata sanantoniensis gen. et sp. nov. 786
Structure: Dicentra cucullaria shoot architecture 553; Thuja occidentalis hydraulic pathways 569
Systematics: biovulate Euphorbiaceae 313; Funariaceae 634; Orchidaceae 716; Pezizales 235

T

Thlaspi arvense, maternal environment, germination 173
Thuja occidentalis, hydraulic pathways 569
Tissue culture: Freesia refracta somatic embryos 672; Norway spruce latent diploid parthenogenesis 677
Tracheary element differentiation 248, 251, 262, 272
Tracheid-differentiation factor 272
Trichophaea brunnea, spore ontogeny 453
Tricostatocarpon silvapinedae gen. et sp. nov. 786
Triphyllopteris collombiana, clarification of generic concept 97
Tsuga heterophylla, gibberellin-enhanced flowering 302

U

Ultrastructure: Amaryllis pollen freeze-fracture 538; biovulate Euphorbiaceae pollen 313; Glomus intraradices spore 689; Glycine max embryology 421; Ileostylus micranthus 350; Magnolia pollen germination 158; Nepeta racemosa leaf glands 623; Pezizales 235; Smyrnium perfoliatum stigma 437; Trichophaea brunnea spore ontogeny 453
Ustilago hordei, diploids 15

V

Virginianthus calycanthoides gen. et sp. nov. 772

W

Water relations: blue oak seedling 744; Pennsylvania barrens 73

Z

Zingiberalean fruits, Upper Cretaceous 786
Zinnia, tracheary element differentiation 262